

LZD 3049/H101/AMP

SET OF MULTIFUNCTION LAMP MAVIC WITH RETROREFLECTIVE TRIANGLE, ELECTRICAL CONDUIT AND STALK MARKER LIGHT

The wide range of modern **MAVIC** multifunctional lamps has been enriched with practical sets **with 3-function stalk marker lights**. Set of lamps **LZD 3049/H101** (left) and **LZD 3050/H101** (right) **with retroreflective triangle** are designed for trailers, semi-trailers and agricultural vehicles. **The main advantages of the sets:** - Thanks to the **double Superseal socket** in the body of the multifunctional lamp, it is possible to easily connect an integrated stalk marker light and license plate lighting in the vehicle or a power supply harness for marker lamps. - The quick connector of the **Click&Ride** system allows for easy and convenient assembly and disassembly of the marker lamp, without the need to replace the entire set. In case of an impact on the stalk marker light, the connector will trigger a secure disengagement of the marker lamp, preventing harm to the multifunctional light. The set includes all necessary elements for affixing the marker lamp to the multifunctional lamp. - **MAVIC** lamp equipped with a conduit and an **AMP 7 PIN socket**. - Lamps of HOR 108 and HOR 101 groups have European approvals and electromagnetic compatibility certificate (**EMC**). - Lights are fully hermetic (**ingress protection rating IP 68**), and the operating temperature range is from **-30 degrees C to +50 degrees C**. - A **special protective lens coating** has been provided for MAVIC to ensure resistance to scratches and mechanical damage. - Universal operating voltage of **12 V** and **24 V**. Our offer includes also **MAVIC lights with reflective device** and stalk marker lamp LZD 3051/H101/AMP (left), LZD 3052/H101/AMP (right).

DANE TECHNICZNE

LED quantity	Light category	Rear position light
98	multifunction rear	yes
Supply voltage	Front clearance light	Rear clearance light
12/24 V	yes	yes
Reflecting device	Operating temperature range	Cable
yes	from -30°C to +50°C	6x0,5 mm ² ; length 0,3 m, AMP 7 PIN, round
Side marker light	Side	Reversing light
yes	left	yes
Fog light	Brake light	Rear direction indicator
yes	yes	yes
Arm	LED light	Ingress protection rating
yes	yes	IP 68

OPIS

Lamp functions and power consumption at 12/24 V operating voltage: - NEON rear position light (2/4 W); - NEON brake light (10/10 W); - NEON direction indicator (4/13 W); - reversing light (2/4,5 W); - fog light (4/4 W); - retroreflective triangle (MAVIC); - stalk marker light (0,5/1 W).

